NOTES:

SUBSTRATE

Sapphire (Al2O3) Axis Orientation: Random


2. COATING (APPLY ACROSS CLEAR APERTURE) \$1 & \$2: NONE

3. SURFACE \$2 TO BE PARALLEL TO SURFACE \$1 TO WITHIN ≤3.5 ARCMIN



FINE GRIND SURFACE

Rohs Compliant



FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	\$1	\$2				Edmund Opt	CC®
SHAPE	PLANO	PLANO				Editiona Opt	163
SURFACE QUALITY	80 - 50	80 - 50		1		35.0mm Dia., 2.2mm Thick, Unco	ated
SURFACE FLATNESS	2λ (typical)	2λ (typical)	THIRD ANGLE PROJECTION		TITLE	Sapphire Window	
CLEAR APERTURE	Ø31.50	Ø31.50				odppillo villagiv	CLIEFT
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED	ALL DIMS IN	mm	DWG NO	23293	SHEET 1 OF 1